

The influence of the test product on the key organisms of the respective body region was examined.

### Information about the tested product:

#### Manufacturer:

Dow Silicones Corporation  
2200 West Salzburg Road  
MI 48611 Auburn  
USA

#### Name of the product:

XIAMETER™ PMX-200 Silicone Fluid 2 cSt

<b>Product type:</b>	Ingredient
<b>Application:</b>	Leave-on
<b>Dilution:</b>	22.5%
<b>Sample received:</b>	01 June 2023
<b>Test Start:</b>	01 June 2023
<b>Test End:</b>	06 July 2023
<b>Test Standard:</b>	<b>MyMicrobiome Standard 18.11 Face / Body</b>
<b>Test result:</b>	<b>1.5</b>
<b>Certification:</b>	granted

## Test description

The MyMicrobiome Standard evaluates cosmetic and personal care products, that encounter the skin or mucous membrane, in terms of their influence on the microbiome located at a specific body site.

An intact skin microbiome has a fundamental influence on skin health. Products which are to be skin-friendly must also be Microbiome-friendly in order not to unbalance the skin of the user.

The MyMicrobiome Standard evaluates the influence of cosmetic and personal care products on the microbial key players of a specific skin or mucous membrane area. The human microbiome is very individual from person to person.

Each area, however, harbors a characteristic composition of bacteria, viruses and fungi. The test examines the products influence on the key organisms typical for each skin area and thus offers a standardized procedure.

## Various aspects are examined:

### The microbial quality of the product.

#### The influence of the product on the natural, healthy skin balance.

The skin-commensal bacterium *Staphylococcus epidermidis* keeps the skin with antimicrobial peptides (so-called bacteriocins) and pH adjustments healthy and keeps skin-harmful germs such as *Staphylococcus aureus* in check. The product should not disturb this balance between skin-friendly and skin-harmful bacteria. This sensitive balance is investigated in conjunction with the product.

#### The influence of the product on the bacterial diversity of the specific body region.

Each body region is colonized by a certain microbial composition. For a healthy skin it is particularly important to maintain this biodiversity. The influence of the product on the respective microbial mixture is examined in the test. The aim is to find as many key organisms as possible after contact with the product.

#### The influence of the product on the growth behavior of the microbes of the specific body region.

In addition to the diversity of the specific microbiome, the growth or number of different key organisms should not be influenced by the product. This is investigated in a skin-product contact model. The key organisms are brought into direct and indirect contact with the product and their growth is observed.

### Results

#### The microbial quality of the product.

The prerequisite for the test for microbial friendliness is the microbiological quality of the product. The following table contains the limit values that must be observed.

Types of organisms	Limit values	
	Products specially designed for children under 3 years, eye area or mucous skins	Other products
<b>Total counts mesophilic, aerobic microorganisms (bacteria, yeasts, molds, (TAMC and TYMC))</b>	$\leq 1 \times 10^2$ cfu/g or ml <sup>a</sup>	$\leq 1 \times 10^3$ cfu/g or ml <sup>b</sup>
<i>Escherichia coli</i>	Not detectable in 1g or 1 ml	Not detectable in 1g or 1 ml
<i>Pseudomonas aeruginosa</i>	Not detectable in 1g or 1 ml	Not detectable in 1g or 1 ml
<i>Staphylococcus aureus</i>	Not detectable in 1g or 1 ml	Not detectable in 1g or 1 ml
<i>Candida albicans</i>	Not detectable in 1g or 1 ml	Not detectable in 1g or 1 ml
<b>a &gt;200 cfu/g or ml, b &gt;2000 cfu/g or ml</b>		

#### Results Microbiological quality

Determination of TAMC, TYMC, absence of *E. coli*, *P. aeruginosa* and *S. aureus*.

**The microbiological quality of the product according to DIN EN ISO 17516 is fulfilled.**


Parameter	Sample no.: 24.865.18.1
TAMC [cfu/0,1 ml]	< 1,0E+01
TYMC (incl. <i>Candida albicans</i> ) [in 0,1 ml]	negative
<i>Escherichia coli</i> [in 0,1 ml]	negative
<i>Pseudomonas aeruginosa</i> [in 0,1 ml]	negative
<i>Staphylococcus aureus</i> [in 0,1 ml]	negative

## Results

### The influence of the product on the natural, healthy skin balance.

A co-culture of *S. epidermidis* and *S. aureus* is incubated with the product.  
The ratio of the two microbes to each other is determined.

Determination of the bacterial count at time t = 15 min (rinse-off) or 4h (leave-on).




	cfu/ml		Ratio Product/ Control	Grade
	<i>S. aureus</i>	<i>S. epidermidis</i>		
<b>Control</b>	2240	2436.7	1.3	<b>1.0</b>
<b>Product</b>	2106.7	2906.7		

## Results – SEBACEOUS SKIN -

### The influence of the product on the microbial diversity of the specific body region.

A co-culture of key organisms of the specific body region is incubated with the product for t = 15 min (rinse-off) or 4h (leave-on). The ratio of the microbes compared to the control (PBS) is determined.




Key-Microbe	t=	4h	Rating
	cfu/ml		
<i>C. acnes</i>	Control	473.3	2
	Product	440	
<i>C. simulans</i>	Control	3800	1
	Product	3900	
<i>M. globosa confluence</i>	Control	28933.3	1
	Product	28266.7	
<i>S. capitis</i>	Control	1533.3	2
	Product	1000	
<i>S. epidermidis</i>	Control	5500	3
	Product	1550	
<i>S. hominis</i>	Control	4500	2
	Product	6600	
<i>S. mitis</i>	Control	1400	1
	Product	1333.3	
<b>Overall rating:</b>			<b>1,7</b>

### Results – SEBACEOUS SKIN -

#### The influence of the product on the growth behavior of the microbes of the specific body region – directly.

The influence of the product on the growth of each individual microbe of the key organisms of the specific body region is investigated and put in relation to the control (PBS). Product contact with the microorganisms is directly.




Key-Microbe	cfu/ml		Rating
	Control	Product	
<b>C. acnes</b>	Control	443.3	2
	Product	399	
<b>C. simulans</b>	Control	348.7	2
	Product	525.3	
<b>M. globosa confluence</b>	Control	100	1
	Product	100	
<b>S. capitis</b>	Control	365.3	1
	Product	409	
<b>S. epidermidis</b>	Control	686.3	2
	Product	632.7	
<b>S. hominis</b>	Control	724.7	2
	Product	658.3	
<b>S. mitis</b>	Control	103	1
	Product	99	
<b>Overall rating:</b>			<b>1,6</b>

## Results – SEBACEOUS SKIN -

### The influence of the product on the growth behavior of the microbes of the specific body region – indirectly.

The influence of the product on the growth of each individual microbe of the key organisms of the specific body region is investigated and put in relation to the control (PBS). The product contact to the microorganisms is indirect.




Key-Microbe	cfu/ml		Rating
<i>C. acnes</i>	Control	359	1
	Product	358.5	
<i>C. simulans</i>	Control	354.3	1
	Product	360.3	
<i>M. globosa confluence</i>	Control	100	1
	Product	100	
<i>S. capitis</i>	Control	368.3	1
	Product	356.3	
<i>S. epidermidis</i>	Control	586.3	1
	Product	630.3	
<i>S. hominis</i>	Control	767.7	2
	Product	630	
<i>S. mitis</i>	Control	1118.7	2
	Product	1458.7	
<b>Overall rating:</b>			<b>1,3</b>

## Results – DRY SKIN -

### The influence of the product on the microbial diversity of the specific body region.

A co-culture of key organisms of the specific body region is incubated with the product for t = 15 min (rinse-off) or 4h (leave-on). The ratio of the microbes compared to the control (PBS) is determined.



Key-Microbe	t=	4h	Rating
	cfu/ml		
<i>C. acnes</i>	Control	376,7	1
	Product	366,7	
<i>C. tuberculostearicum</i>	Control	12933,3	3
	Product	6233,3	
<i>M. globosa confluence</i>	Control	11866,7	1
	Product	11466,7	
<i>M. luteus</i>	Control	2253,3	1
	Product	2210	
<i>S. mitis</i>	Control	14000	3
	Product	8000	
<i>S. oralis</i>	Control	2933,3	1
	Product	3066,7	
<b>Overall rating:</b>			<b>1,7</b>




### Results – DRY SKIN -

#### The influence of the product on the growth behavior of the microbes of the specific body region – directly.

The influence of the product on the growth of each individual microbe of the key organisms of the specific body region is investigated and put in relation to the control (PBS). Product contact with the microorganisms is directly.

Growth in the presence of the product - direct




Key-Microbe	cfu/ml		Rating
<b>C. acnes</b>	Control	443.3	2
	Product	399	
<b>C. tuberculoostearicum</b>	Control	3407.3	1
	Product	3456.7	
<b>M. globosa confluence</b>	Control	100	1
	Product	100	
<b>M. luteus</b>	Control	387	2
	Product	300.3	
<b>S. mitis</b>	Control	2034.7	1
	Product	2258.3	
<b>S. oralis</b>	Control	104	1
	Product	99	
<b>Overall rating:</b>			<b>1,3</b>

## Results – DRY SKIN -

### The influence of the product on the growth behavior of the microbes of the specific body region – indirectly.

The influence of the product on the growth of each individual microbe of the key organisms of the specific body region is investigated and put in relation to the control (PBS). The product contact to the microorganisms is indirect.



Key-Microbe	cfu/ml		Rating
	Control	Product	
<i>C. acnes</i>	Control	359	1
	Product	358.5	
<i>C. tuberculostearicum</i>	Control	2400.7	1
	Product	2523.3	
<i>M. globosa confluence</i>	Control	100	1
	Product	100	
<i>M. luteus</i>	Control	243.7	1
	Product	258	
<i>S. mitis</i>	Control	1118.7	2
	Product	1458.7	
<i>S. oralis</i>	Control	203.7	2
	Product	165.7	
<b>Overall rating:</b>			<b>1,3</b>

## Results

The results are evaluated with grades from 1 (one) to 3 (three). If the product shows no or positive influence to the above-mentioned aspects, a grade of 1 is awarded respectively.

If only a very weak negative influence can be detected in the tests, the grade 2 is awarded and in case of a clearly negative influence, the product receives the grade 3.

The product has passed up to grade 2.0.

Here the grade means

1.0 – 2.0 = Microbiome-friendly; 2.1 – 3.0 = Microbiome-influencing

Test	Grade
Balance of the skin microbiome	1.0
Diversity of the corresponding skin microbiome (sebaceous, x2)	1,7
Diversity of the corresponding skin microbiome (dry, x2)	1,7
Skin-product contact direct (sebaceous, x2)	1,6
Skin-product contact direct (dry, x2)	1,3
Skin-product contact indirect (sebaceous)	1,3
Skin-product contact indirect (dry)	1,3
<b>Overall grade</b>	<b>1.5</b>

**With an overall grade of 1.5 the seal „Microbiome-friendly“ is awarded according to MyMicrobiome Standard 18.11 Face / Body.**

Place, Date: Balzers, 28 March 2024

Responsible person: Dr. Kristin Neumann

Signature:

